





AUTHORIZED DEALER OF











ELECTRIC BICYCLE



















48v, 11Ah

30-40km range per charge Charging: 5-6 Hours

48v, 13Ah

40-50km range per charge Charging: 6-7 Hours









AUTO COP WITH ALARM SENSOR

25 KM /HR MAX.SPEED TUBELESS **TYRES**

WATERPROOF CABLE

UP TO 90KMS RANGE

5TO 6 HRS. **CHARGING TIME**

48v,26Ah 48v,30Ah 65-70km range per charge Charging: 4-5 Hours

80-90km range per charge Charging: 5-6 Hours











25 KM /HR MAX.SPEED

WATERPROOF CABLE

UP TO 80 KMS RANGE

5 TO 6 HRS. CHARGING TIME





EMX



65+ kms (50+ Km with throttle) RANGE	36 Volts, 10.4Ah Powerful Battery BATTERY	Dual Disc Brakes BRAKES	25km/hr SPEED
Motor 36V, 250W, BLDC Rear Hub Motor	Tyres 27.5" x 2.0" CST Jack Rabbit Tyres*	Derailleurs 21-Speed Shimano Tourney	Frame 18" Unisex Aluminum Alloy 6061
Bike weight 22.3 kg	Suspension Front with 100 mm travel and lock-out;	Rider weight & Height Up to 120Kg	Lights LED headlamps with integrated

5' 2to 6'2"

Back suspension

horn





Trex+



- Frame: Aluminium Alloy 6061 MTB Frame
- Suspension: Front Fork Suspension with 100 mm ...
- O Motor: EMotorad 250W Rear Hub Motor
- O Display: LCD S886 Multifunctional Display





25 km/h Speed



Disc brakes with auto cut off



7-Speed Deraffeur for smooth speed shifting







10.4Ah Lithium ion Removable Battery



100mm front fork suspension with lockout






Battery	Derailleur
36V 10.4 Ah Lithium-ion	7-Speed Shimano Tourney
Frame	Range
16" (40.64 cm) Aluminium Alloy	30+ Km on Throttle, 35+ Km on PAS
Motor	Display
36V 250W Rear Hub Motor	M5 Multifunctional LCD
Suspension	Tyre
60 mm travel Front suspension with Lockout	20" x 4" (50.8 cm x 10.16 cm) Tyres
Charge time	Brakes
Up to 80% in 3hr	Dual Disc Brakes








- Frame: High Tensile Steel Alloy Frame
- O Suspension: Front Fork Suspension with 100 mm ...
- Motor: EMotorad 36V 250W Rear Hub Motor
- Display: Battery Indicator on Throttle

























Bike Type	Front Hub
Hardtail MTB ebike	Hub Front 36H, Disc Brake Mounted
Frame	Motor
18" High Tensile Steel Frame	EMotorad 36V 250W Rear Hub Motor
Front Fork	Battery
Front Fork Suspension with 100 mm Travel	36V 7.65 Ah Li-Ion Removable Battery
Brakes	Display
Dual Mechanical Disc Brakes with Auto Cut-off	Battery Indicator on Throttle
Derailleur	Light
Single Speed Free Wheel	Front Light with Integrated Horn (Optional)
Tyre	Charger
27.5" x 2.1" Tyres	2A
Rim	Range
Aluminium Alloy Rim	Upto 40 km on PAS 30 km on Throttle*
Handlebar	Charge time
Steel Riser Handlebar	Upto 80% charge in 4hr*







- Frame: High Tensile Steel Alloy Frame
- Suspension: Front Fork Suspension with 100 mm ...
- Motor: EMotorad 36V 250W Rear Hub Motor
- Display: LCD P9 Multifunctional Display













Disc Brakes with auto cut off





7.65Ah Lithium Ion removable battery








Bike Type	Front Hub
Hardtail MTB ebike	Hub Front 36H, Disc Brake Mounted
Frame	Motor
17" High Tensile Step-Through Steel Frame	EMotorad 36V 250W Rear Hub Motor
Front Fork	Battery
Front Fork Suspension with 100 mm Travel	36V 7.65 Ah Li-Ion Removable Battery
Brakes	Display
Dual Mechanical Disc Brakes with Auto Cut-off	Battery Indicator on Throttle
Derailleur	Light
Derailleur Single Speed Free Wheel	Light Front Light with Integrated Horn (Optional)
Single Speed Free Wheel	Front Light with Integrated Horn (Optional)
Single Speed Free Wheel Tyre	Front Light with Integrated Horn (Optional) Charger
Single Speed Free Wheel Tyre 27.5" x 2.1" Tyres	Front Light with Integrated Horn (Optional) Charger 2A
Single Speed Free Wheel Tyre 27.5" x 2.1" Tyres Rim	Front Light with Integrated Horn (Optional) Charger 2A Range







- Frame: High Tensile Steel Alloy Frame
- Battery: 7.0Ah Integrated Battery
- Motor: EMotorad 36V 250W Rear Hub Motor
- Display: LCD Colour Display










Disc







Bike Type	Front Hub
Hardtail MTB E-Bike	Hub Front 36H, Disc Brake Mounted
Frame	Motor
18" High Tensile Steel Frame	EMotorad 36V 250W Rear Hub Motor
Front Fork	Battery
Front Fork Suspension with 60 mm Travel	36V 7.0Ah Li-Ion Frame Integrated Battery
Brakes	Display
Dual Mechanical Disc Brakes with Auto Cut-off	Colour rich display
Derailleur	Light
Single Speed Free Wheel 18T ATA	Front Light (Optional)
Tyre	Charger
Puncture Resistant 700X45C Hartex Tyres	2A
Rim	Range
Aluminium Alloy Rim	Upto 40 km on PAS 30 Km on Throttle*
Handlebar	Charge time
Handle Bar Steel 31.75*1.42*680 mm BPC	Upto 80% Charge in 4 hr*






Doode v2



- Frame: Aluminium Alloy 6061 Folding Frame
- Suspension: Front Fork Suspension with 60 mm Travel and
- Motor: EMotorad 250W Rear Hub Motor
- Display: LCD M5 Multifunctional Display













Disc Brakes with auto cut off





100mm Travel suspension with lockout



Aluminium Alloy high tensi MTB folding





Battery	Derailleur	
36V 10.4 Ah Lithium-io	7-Speed Shimano Tourney	
Frame	Range	
16" (40.64 cm) Aluminium Alloy	30+ Km on Throttle, 35+ Km on PAS	
Motor	Display	
36V 250W Rear Hub Motor	M5 Multifunctional LCD	
Suspension	Tyre	
60 mm travel Front suspension with Lockout	20" x 4" (50.8 cm x 10.16 cm) Tyres	
Charge time	Brakes	
Up to 80% in 3hr	Dual Disc Brakes	



Visit Us Today



- Call us
- Whatsapp
- Mail us



Follow us on:







000000



(Click on icons to Interact)